

Practitioner's Docket No. 0130.00

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Carlos A. Schuler, William Alston

Application No.: 10/734,076

Group No.: unassigned

Filed: 12/10/2003

Examiner: unassigned

For: Metered Dose Inhaler with Lockout

RECEIVED  
CENTRAL FAX CENTER

APR - 5 2004

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

OFFICIAL

## REQUEST FOR CORRECTED FILING RECEIPT

1. Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.

2. There is an error with respect to the following priority information, which is incorrectly entered.

*Error in**Correct data*

1. and claims benefit of 60/437,254 12/31/2002

1. and claims benefit of 60/436,807 12/27/2002

Guy V. Tucker  
Nektar Therapeutics  
150 Industrial Road  
San Carlos, CA 94070

## CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10\*

(When using Express Mail, the Express Mail label number is mandatory;  
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

## MAILING

G deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. § 1.8(a)

G with sufficient postage as first class mail.

37 C.F.R. § 1.10\*

G as "Express Mail Post Office to Addressee"

Mailing Label No. \_\_\_\_\_ (mandatory)

## TRANSMISSION

☒ Facsimile transmitted to the Patent and Trademark Office, (703) 872-9396

Date: 4/5/04Signature Kathy HonnerKathy Honner  
(type or print name of person certifying)

Request for Corrected Filing Receipt—page 1 of 1



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/734,076	12/10/2003	3761	0.00	0130.00	5	30	7

21968  
NEKTAR THERAPEUTICS  
150 INDUSTRIAL ROAD  
SAN CARLOS, CA 94070

CONFIRMATION NO. 7962

## FILING RECEIPT




\*OC000000012144250\*

Date Mailed: 03/19/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

## Applicant(s)

Carlos E. Schuler, Cupertino, CA;  
William W. Alston, San Jose, CA;



## Assignment For Published Patent Application

Nektar Therapeutics (formerly Inhale Therapeutic Systems, Inc.), San Carlos, CA;

## Domestic Priority data as claimed by applicant

This application is a CIP of 09/852,408 05/09/2001  
and claims benefit of 00/437,254 12/31/2002

60/436,807 12/27/2002

## Foreign Applications

If Required, Foreign Filing License Granted: 03/19/2004

Projected Publication Date: To Be Determined - pending completion of Missing Parts

Non-Publication Request: No

Early Publication Request: No

## Title

Metered dose inhaler with lockout